

2023



*Bright Decision*

**GREENGO**

[www.greengo.com.tr](http://www.greengo.com.tr)

# Contents

## **LED LAMPS**

- 02-05 LED BULBS
- 06-07 LED BIG SIZE BULBS
- 08-09 LED FILAMENT BULBS
- 10-11 LED TUBES AND FIXTURES

## **EMERGENCY LIGHTING & BATTERIES**

- 12-13 LED RECHARGEABLE BULBS & FIXTURES
- 14-15 BATTERIES

## **LED FIXTURES (RECESSED)**

- 16-17 LED PANELS & FIXTURES
- 18-21 LED DOWNLIGHTS
- 22-25 SPOTLIGHT FIXTURES

## **LED FIXTURES (SURFACED)**

- 26-27 LED WALL FIXTURES
- 28-29 LED CEILING FIXTURES
- 30-33 SPOTLIGHT FIXTURES
- 34-35 LED OFFICE LIGHTS
- 36-39 LED TRACK LIGHTS & ACCESSORIES

## **OUTDOOR LIGHTING**

- 40-41 LED FLOODLIGHTS
- 42-43 LED SOLAR STREETLIGHTS
- 44-45 LED STREETLIGHTS AND HIGHBAYS
- 46-47 LED UNDERWATER FIXTURES
- 48-53 WALL LIGHTS
- 54-57 GARDEN LIGHTS



2 years

WARRANTY



Up to  
**90%**  
Energy  
Saving

## LED BULBS



<b>VOLT</b> AC170 - 265V	<b>HERTZ</b> 50 60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 90lm/W	<b>POWER FACTOR</b> PF $\geq 0.6$
-----------------------------	-------------------------	---------------------------	-----------------------------	-----------------------------------	--------------------------------------





	Watt	Lampbase	Lumen
GO-4320 A60 SMD LED BULB	5W	E27	450lm
GO-4335 A60 SMD LED BULB	5W	B22	450lm
GO-4321 A60 SMD LED BULB	7W	E27	630lm
GO-4336 A60 SMD LED BULB	7W	B22	630lm
GO-4331 A60 SMD LED BULB	9W	E27	810lm
GO-4322 A60 SMD LED BULB	10W	E27	900lm
GO-4337 A60 SMD LED BULB	10W	B22	900lm
GO-4323 A60 SMD LED BULB	12W	E27	1080lm
GO-4338 A60 SMD LED BULB	12W	B22	1080lm
GO-4365 A65 SMD LED BULB	14W	E27	1260lm
GO-4341 A70 SMD LED BULB	16W	E27	1440lm



	Watt	Lampbase	Lumen
GO-4316 G45 SMD LED BULB	5W	E27	450lm
GO-4325 G45 SMD LED BULB	5W	E14	450lm
GO-4330 G45 SMD LED BULB	5W	B22	450lm
GO-4317 G45 SMD LED BULB	7W	E27	630lm
GO-4371 G45 SMD LED BULB	7W	E14	630lm
GO-4372 G45 SMD LED BULB	7W	B22	630lm



	Watt	Lampbase	Lumen
GO-4312 CANDLE SMD LED BULB	5W	E14	450lm
GO-4311 CANDLE SMD LED BULB	5W	E27	450lm
GO-4326 CANDLE SMD LED BULB	5W	B22	450lm
GO-4313 CANDLE SMD LED BULB	7W	E14	630lm
GO-4318 CANDLE SMD LED BULB	7W	E27	630lm
GO-4327 CANDLE SMD LED BULB	7W	B22	630lm



	Watt	Lampbase	Lumen
GO-4314 TAILED SMD LED BULB	5W	E14	450lm
GO-4319 TAILED SMD LED BULB	5W	E27	450lm
GO-4328 TAILED SMD LED BULB	5W	B22	450lm
GO-4315 TAILED SMD LED BULB	7W	E14	630lm
GO-4324 TAILED SMD LED BULB	7W	E27	630lm
GO-4329 TAILED SMD LED BULB	7W	B22	630lm



	Watt	Lampbase	Lumen
GO-4264 SMD LED SPOT BULB	5W	GU5.3	400lm
GO-4266 SMD LED SPOT BULB	7W	GU5.3	560lm
GO-4263 SMD LED SPOT BULB	5W	GU10	400lm
GO-4265 SMD LED SPOT BULB	7W	GU10	560lm



	Watt	Lampbase	Lumen
GO-4267 SMD LED SPOT BULB <b>with lens</b>	5W	GU5.3	400lm
GO-4269 SMD LED SPOT BULB <b>with lens</b>	7W	GU5.3	560lm
GO-4268 SMD LED SPOT BULB <b>with lens</b>	5W	GU10	400lm
GO-4270 SMD LED SPOT BULB <b>with lens</b>	7W	GU10	560lm



	Watt	Lampbase	Lumen
GO-4452 COB LED CAPSULE <b>220V</b>	2W	G4	200lm
GO-4451 COB LED CAPSULE	3W	G9	300lm



	Watt	Lampbase	Lumen
GO-4350 SMD LED CAPSULE <b>12V</b>	2W	G4	120lm
GO-4351 SMD LED CAPSULE	3W	G9	240lm



	Watt	Lampbase	Lumen
GO-4352 LED FRIDGE LAMP	3W	E14	200lm



	Watt	Lampbase	Lumen
GO-4390 LED PAR30 BULB	40W	E27	3600lm




up to  
**2**  
years

WARRANTY



Up to  
**90%**  
Energy  
Saving

## LED BIG SIZE BULBS



### Energy



VOLT

AC170 - 265V

HERTZ

50 60Hz

LIFETIME

25000h

CRI

$R_a \geq 80$

LIGHT  
EFFICIENCY

90lm/W

POWER  
FACTOR

PF  $\geq 0.6$





	Watt	Lampbase	Lumen
GO-4382 LED T BULB	28W	E27	2380lm
GO-4383 LED T BULB	38W	E27	3230lm
GO-4384 LED T BULB	48W	E27	4080lm



	Watt	Lampbase	Lumen
GO-4395 LED STREETLIGHT BULB IP65	40W	E40	3600lm



	Watt	Lampbase	Lumen
GO-4390 LED PAR30 BULB	40W	E27	3600lm









**2** years  
**WARRANTY**



**LED FILAMENT BULBS**



<b>VOLT</b> AC180 - 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 25000h	<b>CRI</b> R <sub>a</sub> ≥ 80	<b>LIGHT EFFICIENCY</b> 100-110lm/W	<b>POWER FACTOR</b> PF ≥ 0.6
-----------------------------	---------------------------	---------------------------	-----------------------------------	--	---------------------------------





	Watt	Lampbase	Lumen
GO-4421 G95 LED FILAMENT	6W	E27	600lm
GO-4422 G125 LED FILAMENT	8W	E27	800lm



	Watt	Lampbase	Lumen
GO-4420 ST64 LED FILAMENT	6W	E27	600lm



	Watt	Lampbase	Lumen
GO-4307 A60 LED FILAMENT	4W	E27	440lm
GO-4310 A60 LED FILAMENT	4W	B22	440lm
GO-4366 A60 LED FILAMENT	4W	E14	440lm
GO-4308 A60 LED FILAMENT	6W	E27	660lm
GO-4367 A60 LED FILAMENT	6W	B22	660lm
GO-4361 A60 LED FILAMENT	6W	E14	660lm
GO-4309 A60 LED FILAMENT	8W	E27	880lm
GO-4368 A60 LED FILAMENT	8W	B22	880lm
GO-4362 A60 LED FILAMENT	8W	E14	880lm



	Watt	Lampbase	Lumen
GO-4301 CANDLE LED FILAMENT	2W	E14	220lm
GO-4363 CANDLE LED FILAMENT	2W	E27	220lm
GO-4364 CANDLE LED FILAMENT	2W	B22	220lm
GO-4302 CANDLE LED FILAMENT	4W	E14	440lm
GO-4342 CANDLE LED FILAMENT	4W	E27	440lm
GO-4343 CANDLE LED FILAMENT	4W	B22	440lm



	Watt	Lampbase	Lumen
GO-4305 G45 LED FILAMENT	2W	E27	220lm
GO-4369 G45 LED FILAMENT	2W	B22	220lm
GO-4348 G45 LED FILAMENT	2W	E14	220lm
GO-4306 G45 LED FILAMENT	4W	E27	440lm
GO-4370 G45 LED FILAMENT	4W	B22	440lm
GO-4349 G45 LED FILAMENT	4W	E14	440lm



	Watt	Lampbase	Lumen
GO-4303 TAILED LED FILAMENT	2W	E14	220lm
GO-4344 TAILED LED FILAMENT	2W	E27	220lm
GO-4345 TAILED LED FILAMENT	2W	B22	220lm
GO-4304 TAILED LED FILAMENT	4W	E14	440lm
GO-4346 TAILED LED FILAMENT	4W	E27	440lm
GO-4347 TAILED LED FILAMENT	4W	B22	440lm





**WARRANTY**



**LED TUBES & FIXTURES**



Up to **90%** Energy Saving



<b>VOLT</b> AC170 - 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> R <sub>a</sub> ≥ 80	<b>LIGHT EFFICIENCY</b> 80-110lm/W	<b>POWER FACTOR</b> PF ≥ 0.6
-----------------------------	---------------------------	---------------------------	-----------------------------------	---------------------------------------	---------------------------------





	Watt	Size	Lumen
GO-4239 T8 COB LED TUBE	25W	120cm	2800lm
GO-4238 T8 COB LED TUBE	30W	120cm	3100lm



	Watt	Size	Lumen
GO-4230 T8 SMD LED TUBE	9W	60cm	900lm
GO-4231 T8 SMD LED TUBE	18W	120cm	1800lm
GO-4235 T8 SMD LED TUBE	18W	120cm	1440lm
GO-4237 T8 SMD LED TUBE	26W	150cm	2600lm



	Light Source	Size
GO-4149 WATERPROOF FIXTURE W/O TUBE IP65	1x9W	60cm
GO-4150 WATERPROOF FIXTURE W/O TUBE IP65	1x18W	120cm



	Light Source	Size
GO-4249 WATERPROOF FIXTURE W/O TUBE IP65	2x9W	60cm
GO-4250 WATERPROOF FIXTURE W/O TUBE IP65	2x18W	120cm



	Light Source	Size
GO-4240 T8 LED TUBE FIXTURE	1x9W	60cm
GO-4241 T8 LED TUBE FIXTURE	1x18W	120cm
GO-4242 T8 LED TUBE FIXTURE	2x9W	60cm
GO-4243 T8 LED TUBE FIXTURE	2x18W	120cm





up to  
**2**  
years

**WARRANTY**



Up to  
**90%**  
Energy  
Saving

## LED RECHARGEABLE BULBS & FIXTURES



<b>VOLT</b> AC85- 265V	<b>HERTZ</b> 50 - 60Hz	<b>CRI</b> $R_a \geq 80$	<b>POWER FACTOR</b> PF $\geq 0.6$	<b>CHARGING TIME</b> 8 Hours
---------------------------	---------------------------	-----------------------------	--------------------------------------	---------------------------------





	Watt	Duration	Battery
GO-4404 RECHARGEABLE LED BULB	7W	4hrs	Li-on
GO-4405 RECHARGEABLE LED BULB	9W	4hrs	Li-on




	Watt	Duration	Battery
GO-5821 RECHARGEABLE LED CEILING FIXTURE(with Motion Sensor)	12W	3hrs	Li-on



	Watt	Duration	Battery
GO-8200 RECHARGEABLE LED LANTERN (DC)	6W	7hrs	Li-on
GO-8201 RECHARGEABLE LED LANTERN (AC/DC)	6W	7hrs	Li-on




	Watt	Duration	Battery
GO-8205 RECHARGEABLE LED LANTERN (DC)	5W	7hrs	Li-on
GO-8206 RECHARGEABLE LED LANTERN (DC)	8W	7hrs	Li-on





## BATTERIES



<b>ZINC CARBON</b>	<b>MERCURY AND CADMIUM FREE</b>	<b>VOLT</b> 1,5V	<b>JACKET MATERIAL</b> Metal	<b>USAGE</b> Best Before 3 Years	<b>R6P R03</b>	<b>OPERATING TEMP.</b> -18°C to 55°C
<b>ALKALINE</b>	<b>MERCURY AND CADMIUM FREE</b>	<b>VOLT</b> 1,5V	<b>JACKET MATERIAL</b> Aluminum	<b>USAGE</b> Best Before 5 Years	<b>LR6 LR03</b>	<b>OPERATING TEMP.</b> -18°C to 55°C



	Size	Max. Height	Max. Diameter	mAh
GO-5011 ZINC CARBON BATTERY	AA	50.5mm	14.5mm	760mAh




	Size	Max. Height	Max. Diameter	mAh
GO-5012 ZINC CARBON BATTERY	AAA	44.5mm	10.5mm	320mAh



	Size	Max. Height	Max. Diameter	mAh
GO-5013 ALKALINE BATTERY	AA	50.5mm	14.5mm	2900mAh





	Size	Max. Height	Max. Diameter	mAh
GO-5014 ALKALINE BATTERY	AAA	44.5mm	10.5mm	1300mAh








**LED PANELS & FIXTURES**



<b>VOLT</b> AC85- 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 25000h	<b>CRI</b> R <sub>a</sub> ≥ 80	<b>LIGHT EFFICIENCY</b> 70-100lm/W	<b>POWER FACTOR</b> PF ≥ 0.6/0.9
---------------------------	---------------------------	---------------------------	-----------------------------------	---------------------------------------	-------------------------------------



## LED FIXTURES (RECESSED)



	Watt	Lumen	Thickness
GO-5396 60x60cm LED BACKLIT PANEL	96W	9600lm	13,5mm
GO-5286 60x60cm LED BACKLIT PANEL	48W	4320lm	20mm
GO-5380 60x60cm LED BACKLIT PANEL	70W	6300lm	33mm



	Watt	Lumen	PF
GO-5281 60x60cm LED PANEL	36W	2880lm	0.9
GO-5282 60x60cm LED PANEL	48W	3840lm	0.9
GO-5283 60x60cm LED PANEL ECO	36W	2520lm	0.6

	Size	Height	Type
GO-4198 SURFACE MOUNT KIT (60x60 Panels)	60x60cm	5cm	Surface



	Watt	Lumen	Dia In/Out
GO-5301 SLIM PANEL	3W	225lm	70/85mm
GO-5302 SLIM PANEL	6W	450lm	105/120mm
GO-5303 SLIM PANEL	9W	675lm	135/150mm
GO-5304 SLIM PANEL	12W	900lm	155/170mm
GO-5305 SLIM PANEL	15W	1125lm	175/200mm
GO-5306 SLIM PANEL	18W	1350lm	205/225mm
GO-5307 SLIM PANEL	24W	1800lm	285/300mm



	Watt	Lumen	Dia In/Out
GO-5331 SLIM PANEL	3W	225lm	70/85mm
GO-5332 SLIM PANEL	6W	450lm	105/120mm
GO-5333 SLIM PANEL	9W	540lm	135/150mm
GO-5334 SLIM PANEL	12W	900lm	155/170mm
GO-5335 SLIM PANEL	15W	900lm	175/200mm
GO-5336 SLIM PANEL	18W	1080lm	205/225mm
GO-5337 SLIM PANEL	24W	1440lm	285/300mm





	Watt	Lumen	Dia In/Out
GO-5311 SLIM PANEL ECO	3W	180lm	70/85mm
GO-5312 SLIM PANEL ECO	6W	360lm	105/120mm
GO-5313 SLIM PANEL ECO	9W	540lm	130/145mm
GO-5314 SLIM PANEL ECO	12W	720lm	155/170mm
GO-5315 SLIM PANEL ECO	15W	900lm	175/195mm
GO-5316 SLIM PANEL ECO	18W	1080lm	205/225mm
GO-5317 SLIM PANEL ECO	24W	1440lm	280/300mm



	Watt	Lumen	Dia In/Out
GO-5321 SLIM PANEL ECO	3W	180lm	70/85mm
GO-5322 SLIM PANEL ECO	6W	360lm	105/120mm
GO-5323 SLIM PANEL ECO	9W	540lm	130/145mm
GO-5324 SLIM PANEL ECO	12W	720lm	155/170mm
GO-5325 SLIM PANEL ECO	15W	900lm	175/195mm
GO-5326 SLIM PANEL ECO	18W	1080lm	205/225mm
GO-5327 SLIM PANEL ECO	24W	1440lm	280/300mm



## LED DOWNLIGHTS



<b>VOLT</b> AC85- 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 25000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 70-100lm/W	<b>POWER FACTOR</b> PF $\geq 0.6$
---------------------------	---------------------------	---------------------------	-----------------------------	---------------------------------------	--------------------------------------





	Watt	Lumen	Dia In/Out
GO-5259 SMD LED DOWNLIGHT	7W	420lm	70/95mm
GO-5260 SMD LED DOWNLIGHT	10W	700lm	90/120mm
GO-5261 SMD LED DOWNLIGHT	15W	1275lm	110/145mm
GO-5270 SMD LED DOWNLIGHT	20W	1800lm	130/175mm
GO-5290 SMD LED DOWNLIGHT	24W	2160lm	175/225mm

	Watt	Lumen	Dia In/Out
GO-5294 SMD LED DOWNLIGHT with 3 Color	5W	350lm	75/100mm
GO-5295 SMD LED DOWNLIGHT with 3 Color	5W	350lm	75/100mm
GO-5296 SMD LED DOWNLIGHT with 3 Color	5W	350lm	75/100mm



	Watt	Lumen	Dia In/Out
GO-5297 COB LED DOWNLIGHT	7W	700lm	75/90mm

	Watt	Lumen	Dia In/Out
GO-5250 SMD LED DOWNLIGHT	3W	300lm	55/75mm
GO-5251 SMD LED DOWNLIGHT	5W	500lm	75/90mm
GO-5253 SMD LED DOWNLIGHT	3W	300lm	55/75mm
GO-5254 SMD LED DOWNLIGHT	5W	500lm	75/90mm





	Watt	Lumen	Dia In/Out
GO-5610 LED DOWNLIGHT alu	7W	630lm	65/90mm
GO-5611 LED DOWNLIGHT alu	12W	1080lm	100/120mm
GO-5612 LED DOWNLIGHT alu	18W	1620lm	150/170mm
GO-5613 LED DOWNLIGHT alu	24W	2160lm	205/225mm



	Watt	Lumen	Dia In/Out
GO-5616 LED DOWNLIGHT alu	7W	630lm	65x90mm
GO-5617 LED DOWNLIGHT alu	12W	1080lm	100x120mm
GO-5618 LED DOWNLIGHT alu	18W	1620lm	150x170mm
GO-5619 LED DOWNLIGHT alu	24W	2160lm	205x225mm



	Watt	Lumen	Dia In/Out
GO-5623 LED DOWNLIGHT alu	9W	720lm	75/100mm
GO-5625 LED DOWNLIGHT alu	12W	960lm	85/117mm
GO-5627 LED DOWNLIGHT alu	18W	1440lm	113/145mm
GO-5629 LED DOWNLIGHT alu	24W	1920lm	141/180mm
GO-5631 LED DOWNLIGHT alu	36W	2880lm	185/225mm
GO-5632 LED DOWNLIGHT alu	45W	3600lm	185/225mm



	Watt	Lumen	Dia In/Out
GO-5255 LED DOWNLIGHT ECO	5W	400lm	75/100mm
GO-5256 LED DOWNLIGHT ECO	10W	800lm	85/120mm
GO-5257 LED DOWNLIGHT ECO	15W	1200lm	105/145mm
GO-5258 LED DOWNLIGHT ECO	20W	1600lm	145/180mm





2 years

WARRANTY



## SPOTLIGHT FIXTURES



VOLT

AC220-240V

WATT

max.50W



ADJUSTABLE





	Lampbase	Sizes	Cutout
GO-6516 SPOTLIGHT FIXTURE	GU5.3/GU10	92x40mm	65mm
GO-6517 SPOTLIGHT FIXTURE	GU5.3/GU10	92x40mm	65mm
GO-6518 SPOTLIGHT FIXTURE	GU5.3/GU10	92x40mm	65mm




	Lampbase	Sizes	Cutout
GO-6514 SPOTLIGHT FIXTURE	GU5.3/GU10	95x40mm	80mm
GO-6515 SPOTLIGHT FIXTURE	GU5.3/GU10	95x40mm	80mm




	Lampbase	Sizes	Cutout
GO-6512 SPOTLIGHT FIXTURE	GU5.3/GU10	95x40mm	80mm
GO-6513 SPOTLIGHT FIXTURE	GU5.3/GU10	95x40mm	80mm



	Lampbase	Sizes	Cutout
GO-6508 SPOTLIGHT FIXTURE	GU5.3	90x30mm	75mm
GO-6509 SPOTLIGHT FIXTURE	GU5.3	90x30mm	75mm
GO-6510 SPOTLIGHT FIXTURE	GU5.3	90x30mm	75mm
GO-6511 SPOTLIGHT FIXTURE	GU5.3	90x30mm	75mm



	Lampbase	Sizes	Cutout
GO-6519 SPOTLIGHT FIXTURE	GU5.3/GU10	100x40mm	80mm
GO-6520 SPOTLIGHT FIXTURE	GU5.3/GU10	100x40mm	80mm
GO-6521 SPOTLIGHT FIXTURE	GU5.3/GU10	100x40mm	80mm
GO-6522 SPOTLIGHT FIXTURE	GU5.3/GU10	100x40mm	80mm



	Lampbase	Sizes	Cutout
GO-5226 SPOTLIGHT FIXTURE (Glass Type)	GU5.3	90x20mm	65mm
GO-5227 SPOTLIGHT FIXTURE (Glass Type)	GU5.3	90x20mm	65mm
GO-5228 SPOTLIGHT FIXTURE (Glass Type)	GU5.3	90x20mm	65mm
GO-5229 SPOTLIGHT FIXTURE (Glass Type)	GU5.3	90x20mm	65mm







	Lampbase	Sizes	Cutout
GO-6500 SPOTLIGHT FIXTURE	2xGU10	100x190mm	160mm
GO-6501 SPOTLIGHT FIXTURE	2xGU5.3	100x190mm	160mm



	Lampbase	Sizes	Cutout
GO-5240 SPOTLIGHT FIXTURE	2xGU10	100x190mm	160mm
GO-5241 SPOTLIGHT FIXTURE	2xGU5.3	100x190mm	160mm



	Lampbase	Sizes	Cutout
GO-5244 SPOTLIGHT FIXTURE	GU5.3	92x40mm	70mm
GO-5245 SPOTLIGHT FIXTURE	GU10	92x40mm	70mm



	Lampbase	Sizes	Cutout
GO-5246 SPOTLIGHT FIXTURE	GU5.3	92x40mm	70mm
GO-5247 SPOTLIGHT FIXTURE	GU10	92x40mm	70mm



	Lampbase	Sizes	Cutout
GO-5231 SPOTLIGHT FIXTURE	GU5.3/GU10	100x45mm	70mm



	Lampbase	Sizes	Cutout
GO-5230 SPOTLIGHT FIXTURE	GU5.3/GU10	100x45mm	70mm



	Lampbase	Sizes	Cutout
GO-5223 SPOTLIGHT FIXTURE	GU5.3/GU10	85mm	34mm
GO-5224 SPOTLIGHT FIXTURE	GU5.3/GU10	85mm	34mm



	Lampbase	Sizes	Cutout
GO-5225 SPOTLIGHT FIXTURE <b>IP65</b>	GU5.3/GU10	82mm	54mm



	Watt	Lampbase	Lumen
GO-4264 SMD LED SPOT BULB	5W	GU5.3	400lm
GO-4266 SMD LED SPOT BULB	7W	GU5.3	560lm
GO-4263 SMD LED SPOT BULB	5W	GU10	400lm
GO-4265 SMD LED SPOT BULB	7W	GU10	560lm

	Watt	Lampbase	Lumen
GO-4267 SMD LED SPOT BULB with lens	5W	GU5.3	400lm
GO-4269 SMD LED SPOT BULB with lens	7W	GU5.3	560lm
GO-4268 SMD LED SPOT BULB with lens	5W	GU10	400lm
GO-4270 SMD LED SPOT BULB with lens	7W	GU10	560lm







**2** years  
**WARRANTY**



**LED WALL FIXTURES**



<b>VOLT</b> AC165- 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> R <sub>a</sub> ≥ 80	<b>LIGHT EFFICIENCY</b> 80-90lm/W	<b>POWER FACTOR</b> PF ≥ 0.6
----------------------------	---------------------------	---------------------------	-----------------------------------	--------------------------------------	---------------------------------






	Watt	Lumen	Size	Protection Class
GO-2474 LED CABINET alu	18W	1440lm	60cm	IP20
GO-2475 LED CABINET alu	36W	2880lm	120cm	IP20
GO-2476 LED CABINET iron	18W	1350lm	60cm	IP20
GO-2477 LED CABINET iron	36W	2700lm	120cm	IP20

	Watt	Lumen	Size	Protection Class
GO-2494 LED WATERPROOF BATTEN LIGHT	54W	4590lm	120cm	IP65



	Watt	Lumen	Size	Protection Class
GO-2480 T5 ROUND BATTEN	6W	450lm	30cm	IP20
GO-2481 T5 ROUND BATTEN	9W	675lm	60cm	IP20
GO-2482 T5 ROUND BATTEN	14W	1050lm	90cm	IP20
GO-2483 T5 ROUND BATTEN	18W	1350lm	120cm	IP20

	Watt	Lumen	Protection Class
GO-5210 LED OUTDOOR STEPLIGHT	2W	200lm	IP65







WARRANTY



## LED CEILING FIXTURES



<b>VOLT</b> AC165- 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 80-100lm/W	<b>POWER FACTOR</b> PF $\geq 0.6$
----------------------------	---------------------------	---------------------------	-----------------------------	---------------------------------------	--------------------------------------

			<b>IC DRIVER</b>	<b>SMD 2835</b>	<b>IP 20</b>	<b>IP 44</b>	<b>IP 54</b>	<b>IP 65</b>
--	--	--	------------------	-----------------	--------------	--------------	--------------	--------------



	Watt	Lumen	Dia
GO-5408 LED CEILING LIGHT <b>IP44</b>	40W	4000lm	380mm
GO-5409 LED CEILING LIGHT <b>IP44</b>	40W	4000lm	380mm



	Watt	Lumen	Sizes
GO-5412 LED BULKHEAD LAMP <b>IP54</b>	15W	1500lm	165x165x65mm
GO-5413 LED BULKHEAD LAMP <b>IP54</b>	20W	2000lm	218x218x70mm
GO-5414 LED BULKHEAD LAMP <b>IP54</b>	15W	1500lm	214x122x65mm
GO-5415 LED BULKHEAD LAMP <b>IP54</b>	20W	2000lm	270x143x70mm



	Watt	Lumen	Dia
GO-5271 LED PANEL	18W	1440lm	225mm
GO-5262 LED PANEL <b>ECO</b>	6W	360lm	115mm
GO-5263 LED PANEL <b>ECO</b>	12W	720lm	160mm
GO-5264 LED PANEL <b>ECO</b>	18W	1080lm	210mm
GO-5265 LED PANEL <b>ECO</b>	24W	1440lm	280mm
GO-5272 LED PANEL	18W	1440lm	225mm
GO-5266 LED PANEL <b>ECO</b>	6W	360lm	115mm
GO-5267 LED PANEL <b>ECO</b>	12W	720lm	160mm
GO-5268 LED PANEL <b>ECO</b>	18W	1080lm	210mm
GO-5269 LED PANEL <b>ECO</b>	24W	1440lm	280mm



	Watt	Lumen	Protection Class
GO-5820 LED CEILING FIXTURE (with Motion Sensor)	12W	960lm	IP20

	Watt	Duration	Battery
GO-5821 LED RECHARGEABLE LED CEILING FIXTURE (with Motion Sensor)	12W	3hrs	Li-on




	Light Source	Size
GO-4149 WATERPROOF FIXTURE W/O TUBE <b>IP65</b>	1x9W	60cm
GO-4150 WATERPROOF FIXTURE W/O TUBE <b>IP65</b>	1x18W	120cm



	Light Source	Size
GO-4249 WATERPROOF FIXTURE W/O TUBE <b>IP65</b>	2x9W	60cm
GO-4250 WATERPROOF FIXTURE W/O TUBE <b>IP65</b>	2x18W	120cm

2 years  
WARRANTY



## SPOTLIGHT FIXTURES



<b>VOLT</b> AC220-240V	<b>WATT</b> max.50W	 45° <b>ADJUSTABLE</b>
---------------------------	------------------------	---

						
--	---	---	---	---	---	---




	Lampbase	Lamp Size	Base
GO-6542 SPOTLIGHT FIXTURE	GU10	60x100mm	70x70mm
GO-6543 SPOTLIGHT FIXTURE	GU10	60x100mm	70x350mm

	Lampbase	Lamp Size	Base
GO-6544 SPOTLIGHT FIXTURE	GU10	60x100mm	70x130mm



	Lampbase	Size
GO-6530 TRACKLIGHT FIXTURE	GU10	70x100mm
GO-6531 TRACKLIGHT FIXTURE	GU10	70x100mm



	Lampbase	Lamp Size
GO-6527 SPOTLIGHT FIXTURE	GU5.3/GU10	75x110mm
GO-6528 SPOTLIGHT FIXTURE	GU5.3/GU10	75x110mm



	Lampbase	Lamp Size
GO-6523 SPOTLIGHT FIXTURE	GU5.3/GU10	98x102mm
GO-6524 SPOTLIGHT FIXTURE	GU5.3/GU10	98x102mm



	Lampbase	Lamp Size
GO-6525 SPOTLIGHT FIXTURE	GU5.3/GU10	98x102mm
GO-6526 SPOTLIGHT FIXTURE	GU5.3/GU10	98x102mm





	Lampbase	Sizes
GO-5234 SPOTLIGHT FIXTURE	GU5.3/GU10	110x100mm


	Lampbase	Sizes
GO-5248 SPOTLIGHT FIXTURE	GU5.3	80x85mm

GO-5249 SPOTLIGHT FIXTURE	GU10	80x85mm
---------------------------	------	---------



	Lampbase	Sizes
GO-5232 SPOTLIGHT FIXTURE	GU5.3/GU10	110x100mm



	Lampbase	Sizes
GO-5233 SPOTLIGHT FIXTURE	GU5.3/GU10	110x100mm







## LED OFFICE LIGHTS



<b>VOLT</b> AC165-265V	<b>HERTZ</b> 50-60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 90lm/W	<b>POWER FACTOR</b> PF $\geq 0.6$
---------------------------	-------------------------	---------------------------	-----------------------------	-----------------------------------	--------------------------------------






	Watt	Size	Lumen
GO-2490 LED OFFICE LIGHT	24W	7,5x120cm	2160lm




	Watt	Size	Lumen
GO-2491 LED OFFICE LIGHT	36W	10x120cm	3240lm



	Watt	Size	Lumen
GO-2492 LED OFFICE LIGHT	48W	15x120cm	4320lm





	Watt	Size	Lumen
GO-2493 LED OFFICE LIGHT	60W	20x120cm	5400lm





## LED TRACK LIGHTS & ACCESSORIES



<b>VOLT</b> AC170-265V	<b>HERTZ</b> 50-60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 80-100lm/W	<b>POWER FACTOR</b> PF $\geq 0.6$
---------------------------	-------------------------	---------------------------	-----------------------------	---------------------------------------	--------------------------------------





	Watt	Lumen	Size
GO-4460 COB TRACK LIGHT	30W	3000lm	77x180mm



	Watt	Lumen	Size
GO-4461 COB TRACK LIGHT	30W	3000lm	100x135mm



	Watt	Lumen	Size
GO-4462 COB TRACK LIGHT	30W	2700lm	75x170mm



	Watt	Lumen	Size
GO-4463 COB TRACK LIGHT	30W	2550lm	100x150mm



	Watt	Lumen	Size
GO-4464 COB TRACKLIGHT	30W	2400lm	90x135mm



	Watt	Lumen	Protection Class
GO-4399 LED PAR30 TRACK LIGHT	40W	3600lm	IP20
GO-4398 LED PAR30 TRACK LIGHT	40W	3600lm	IP20



	Lampbase	Size
GO-6532 TRACKLIGHT FIXTURE	GU10	70x100mm
GO-6533 TRACKLIGHT FIXTURE	GU10	70x100mm



	Lampbase	Size
GO-6534 TRACKLIGHT FIXTURE	GU10	70x100mm
GO-6535 TRACKLIGHT FIXTURE	GU10	70x100mm



	Lampbase	Size
GO-6536 TRACKLIGHT FIXTURE	GU10	60x90mm



	Lampbase	Size
GO-6537 TRACKLIGHT FIXTURE	GU10	55x90mm



	Lampbase	Size
GO-6538 TRACKLIGHT FIXTURE	GU10	61x135mm



	Lampbase	Size
GO-6529 TRACKLIGHT FIXTURE	GU10	62x118mm



	Size
GO-9600 TRACK BAR	100cm
GO-9601 TRACK BAR	150cm
GO-9602 TRACK BAR	200cm



	Type
GO-9603 TRACK BAR CONNECTOR	Straight
GO-9604 TRACK BAR CONNECTOR	L
GO-9605 TRACK BAR CONNECTOR	T
GO-9606 TRACK BAR CONNECTOR	Cross

Sourced

Sourced from









**2** years  
**WARRANTY**



**LED FLOODLIGHTS**



<b>VOLT</b> AC85 - 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 80-100lm/W	<b>POWER FACTOR</b> PF $\geq 0.9$	<b>REFLECTOR</b> Nano / Pc
----------------------------	---------------------------	---------------------------	-----------------------------	---------------------------------------	--------------------------------------	-------------------------------





	Watt	Lumen	PF
GO-4662 LED SLIM FLOODLIGHT	10W	900lm	0,9
GO-4663 LED SLIM FLOODLIGHT	20W	1800lm	0,9
GO-4664 LED SLIM FLOODLIGHT	30W	2700lm	0,9
GO-4665 LED SLIM FLOODLIGHT	50W	4500lm	0,9
GO-4666 LED SLIM FLOODLIGHT	100W	9000lm	0,9
GO-4667 LED SLIM FLOODLIGHT	200W	18000lm	0,9

	Watt	Lumen	PF
GO-4654 LED SLIM FLOODLIGHT	10W	900lm	0,9
GO-4655 LED SLIM FLOODLIGHT	20W	1800lm	0,9
GO-4656 LED SLIM FLOODLIGHT	30W	2700lm	0,9
GO-4657 LED SLIM FLOODLIGHT	50W	4500lm	0,9
GO-4659 LED SLIM FLOODLIGHT	100W	9000lm	0,9
GO-4661 LED SLIM FLOODLIGHT	200W	18000lm	0,9



	Watt	Lumen	PF
GO-4641 SMD LED FLOODLIGHT	20W	2000lm	0,6
GO-4642 SMD LED FLOODLIGHT	30W	3000lm	0,6
GO-4643 SMD LED FLOODLIGHT	50W	5000lm	0,9
GO-4646 SMD LED FLOODLIGHT	100W	10000lm	0,9
GO-4647 SMD LED FLOODLIGHT	150W	15000lm	0,9
GO-4648 SMD LED FLOODLIGHT	200W	20000lm	0,9

	Watt	Lumen	PF
GO-4644 SMD LED FLOODLIGHT	300W	30000lm	0,9
GO-4645 SMD LED FLOODLIGHT	400W	40000lm	0,9




	Watt	Lumen	PF
GO-4637 SMD LED FLOODLIGHT	300W	24000lm	0,9

	Watt	Lumen	PF
GO-4638 SMD LED FLOODLIGHT	400W	32000lm	0,9

**2** years  
**WARRANTY**



**LED SOLAR STREETLIGHTS**



<b>CAPACITOR VOLT</b> 6V	<b>CHARGING TIME</b> 6-8 hours	<b>DURATION</b> 12-15 hours	<b>SOLAR PANEL</b> POLY CRYSTALLINE	<b>LIFETIME</b> 50000h
-----------------------------	-----------------------------------	--------------------------------	--	---------------------------





	Power	Size
GO-4732 LED SOLAR STREETLIGHT	100W	350x17x350mm



	Power	Size
GO-4733 LED SOLAR STREETLIGHT	200W	350x17x530mm





up to  
**3**  
years

**WARRANTY**



## LED STREETLIGHTS AND HIGHBAYS



<b>VOLT</b> AC85 - 265V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 30000h	<b>CRI</b> $R_a \geq 80$	<b>LIGHT EFFICIENCY</b> 90-100lm/W	<b>POWER FACTOR</b> PF $\geq 0.9$
----------------------------	---------------------------	---------------------------	-----------------------------	---------------------------------------	--------------------------------------






	Watt	Lumen	Warranty
GO-4718 LED STREETLIGHT	80W	7200lm	2 years
GO-4719 LED STREETLIGHT	100W	9000lm	2 years
GO-4728 LED STREETLIGHT	150W	13500lm	2 years
GO-4729 LED STREETLIGHT	200W	18000lm	2 years



	Watt	Lumen	Warranty
GO-4704 LED STREETLIGHT	150W	15000lm	3 years




	Watt	Lumen	Dia
GO-5716 LED UFO LAMP	100W	9000lm	ø270
GO-5717 LED UFO LAMP	150W	13500lm	ø325
GO-5718 LED UFO LAMP	200W	18000lm	ø375





	Watt	Lumen	Dia
GO-5715 LED UFO LAMP	300W	27000lm	ø470





### LED UNDERWATER FIXTURES



<b>VOLT</b> 12V	<b>HERTZ</b> 50 - 60Hz	<b>LIFETIME</b> 20000h	<b>CRI</b> R <sub>a</sub> ≥ 85
--------------------	---------------------------	---------------------------	-----------------------------------





	Watt	Lumen	Protection Class
GO-7600 LED POOL LIGHT	35W	3000lm	IP68



	Watt	Lumen	Protection Class
GO-7601 LED POOL LIGHT	15W	1500lm	IP68







WALL LIGHTS




<b>VOLT</b> AC220 - 240V	<b>WATT</b> max. 60W	<b>LIGHT EFFICIENCY</b> 70lm/W	<b>POWER FACTOR</b> PF ≥ 0.6
-----------------------------	-------------------------	-----------------------------------	---------------------------------





	Watt	Lumen	Size
GO-7328 LED WALL LIGHT IP54	2x5W	450lm	112x240mm
GO-7328 LED WALL LIGHT IP54	2x5W	450lm	112x240mm



	Watt	Lumen	Size
GO-7329 LED WALL LIGHT IP54	6W	270lm	100x170mm
GO-7329 LED WALL LIGHT IP54	6W	270lm	100x170mm



	Watt	Lumen	Size
GO-7327 LED WALL LIGHT IP54	4x2W	700lm	70x100mm



	Watt	Lumen	Sizes
GO-7321 LED GARDEN LIGHT IP65	20W	2000lm	180x210mm



	Watt	Lumen	Sizes
GO-7334 LED GARDEN LIGHT IP65	10W	1000lm	165x110mm
GO-7335 LED GARDEN LIGHT IP65	10W	1000lm	165x110mm



	Watt	Lumen	Sizes
GO-7336 LED GARDEN LIGHT IP65	10W	1000lm	165x110mm
GO-7337 LED GARDEN LIGHT IP65	10W	1000lm	165x110mm




	Watt	Lumen	Sizes
GO-7322 LED GARDEN LIGHT IP44	2x7W	1400lm	90x135mm
GO-7323 LED GARDEN LIGHT IP44	2x7W	1400lm	90x135mm



	Watt	Lumen	Sizes
GO-7316 LED GARDEN LIGHT IP54	20W	2000lm	110x235mm




	Watt	Lumen	Sizes
GO-7317 LED GARDEN LIGHT IP54	20W	2000lm	110x238mm
GO-7318 LED GARDEN LIGHT IP54	20W	2000lm	110x238mm



	Watt	Lumen	Sizes
GO-7319 LED GARDEN LIGHT IP54	20W	2000lm	73x220mm
GO-7320 LED GARDEN LIGHT IP54	20W	2000lm	73x220mm



	Watt	Lumen	Sizes
GO-7324 LED WALL LIGHT IP44	2x2W	300lm	78x110mm
GO-7325 LED WALL LIGHT IP44	2x3W	450lm	78x170mm
GO-7326 LED WALL LIGHT IP44	2x4W	600lm	78x210mm



	Lampholder	Size
GO-7066 WALL LIGHT IP54	E27	113x290mm
GO-7067 WALL LIGHT IP54	E27	116x250mm
GO-7068 WALL LIGHT IP54	E27	116x250mm



	Lampholder	Size
GO-7063 WALL LIGHT IP54	E27	180x336mm
GO-7064 WALL LIGHT IP54	E27	180x336mm



	Lampholder	Size
GO-7058 WALL LIGHT IP54	E27	110x300mm
GO-7059 WALL LIGHT IP54	E27	110x190mm
GO-7060 WALL LIGHT IP54	E27	110x260mm



	Lampholder	Size
GO-7061 WALL LIGHT IP54	E27	90x170mm
GO-7062 WALL LIGHT IP54	E27	90x228mm



	Lampholder	Height
GO-7048 GARDEN LIGHT IP44	GU10	100mm



	Lampholder	Size
GO-7042 GARDEN LIGHT IP44	GU10	92x67x75mm
GO-7043 GARDEN LIGHT IP44	GU10	92x65x150mm
GO-7044 GARDEN LIGHT IP44	GU10	92x67x75mm
GO-7045 GARDEN LIGHT IP44	GU10	92x65x150mm



	Lampholder	Height
GO-7040 GARDEN LIGHT IP44	GU10	95mm
GO-7041 GARDEN LIGHT IP44	GU10	165mm



	Lampholder	Height
GO-7049 WALL LIGHT IP54	E27	245mm
GO-7050 WALL LIGHT IP54	E27	245mm
GO-7051 WALL LIGHT IP54	E27	245mm



	Lampholder	Height
GO-7052 ALUMINUM WALL LIGHT IP54	E27	245mm
GO-7053 ALUMINUM WALL LIGHT IP54	E27	245mm
GO-7054 ALUMINUM WALL LIGHT IP54	E27	245mm



	Lampholder	Height
GO-7055 ALUMINUM WALL LIGHT IP54	E27	245mm
GO-7056 ALUMINUM WALL LIGHT IP54	E27	245mm
GO-7057 ALUMINUM WALL LIGHT IP54	E27	245mm







**2** years  
**WARRANTY**



**GARDEN LIGHTS**



<b>VOLT</b> AC220 - 240V	<b>WATT</b> max. 60W	<b>LIGHT EFFICIENCY</b> 30-100lm/W	<b>POWER FACTOR</b> PF ≥ 0.6
-----------------------------	-------------------------	---------------------------------------	---------------------------------





	Watt	Lumen	Size
GO-7071 LED LAWN LIGHT IP54	2x3W	180lm	65x500mm
GO-7072 LED LAWN LIGHT IP54	2x3W	180lm	65x800mm



	Watt	Lumen	Size
GO-7073 LED LAWN LIGHT IP54	2x3W	180lm	65x500mm
GO-7074 LED LAWN LIGHT IP54	2x3W	180lm	65x800mm



	Watt	Lumen	Size
GO-7339 LED LAWN LIGHT IP54	6W	180lm	132x500mm
GO-7340 LED LAWN LIGHT IP54	6W	180lm	132x800mm



	Lampholder	Size
GO-7069 LAWN LIGHT IP44	E27	80x500mm
GO-7070 LAWN LIGHT IP44	E27	80x800mm



	Lampholder	Size
GO-7341 GARDEN LIGHT IP44	E27	101x310mm
GO-7342 LAWN LIGHT IP44	E27	76x500mm
GO-7343 LAWN LIGHT IP44	E27	76x800mm



	Lampholder	Height
GO-7032 GARDEN LIGHT IP44	E27	380mm
GO-7033 GARDEN LIGHT IP44	E27	972mm
GO-7034 GARDEN LIGHT IP44	E27	330mm





	Body	Lampholder	Size
GO-7065 GARDEN LIGHT IP65	Aluminum	E27	160x185mm
GO-7075 GARDEN LIGHT IP65	ABS	E27	150x190mm



	Watt	Lumen	Size
GO-7338 LED GARDEN LIGHT IP65	10W	1000lm	165x280mm



	Watt/Lampbase	Size
GO-7300 COB LED GARDEN LIGHT IP65	5W	65x155mm
GO-7333 GARDEN LIGHT IP65	GU10	98x275mm



	Lampbase	Lamp Size
GO-7350 INGROUND LIGHT IP65	GU10	110x130mm



	Lampholder	Height
GO-7005 GARDEN LIGHT IP44	E27	405mm
GO-7007 GARDEN LIGHT IP44	E27	344mm



	Lampholder	Height
GO-7008 GARDEN LIGHT IP44	E27	325mm
GO-7009 GARDEN LIGHT IP44	E27	500mm
GO-7010 GARDEN LIGHT IP44	E27	800mm



**REENGO**

[www.greeno.com.tr](http://www.greeno.com.tr)